

1 COMMENT

2. **Fleur** May 27, 2022 at 6:39 pm

Same people nicely continuing on their programme.

Pfizer side effects see pages 30 to 38

5.3.6 CUMULATIVE ANALYSIS OF POST-AUTHORIZATION ADVERSE EVENT REPORTS OF PF-07302048 (BNT162B2) RECEIVED THROUGH 28-FEB-2021

APPENDIX 1. LIST OF ADVERSE EVENTS OF SPECIAL INTEREST

1p36 deletion syndrome;2-Hydroxyglutaric aciduria;
5'nucleotidase increased;Acoustic neuritis;Acquired C1
inhibitor deficiency;Acquired epidermolysis
bullosa;Acquired epileptic aphasia;Acute cutaneous lupus
erythematosus;Acute disseminated
encephalomyelitis;Acute encephalitis with refractory,
repetitive partial seizures;Acute febrile neutrophilic
dermatosis;Acute flaccid myelitis;Acute haemorrhagic
leukoencephalitis;Acute haemorrhagic oedema of
infancy;Acute kidney injury;Acute macular outer
retinopathy;Acute motor axonal neuropathy;Acute motor-
sensory axonal neuropathy;Acute myocardial
infarction;Acute respiratory distress syndrome;Acute
respiratory failure;Addison's disease;Administration site
thrombosis;Administration site vasculitis;Adrenal
thrombosis;Adverse event following
immunisation;Ageusia;Agranulocytosis;Air
embolism;Alanine aminotransferase abnormal;Alanine
aminotransferase increased;Alcoholic seizure;Allergic
bronchopulmonary mycosis;Allergic oedema;Alloimmune
hepatitis;Alopecia areata;Alpers disease;Alveolar
proteinosis;Ammonia abnormal;Ammonia
increased;Amniotic cavity

infection;Amygdalohippocampectomy;Amyloid arthropathy;Amyloidosis;Amyloidosis senile;Anaphylactic reaction;Anaphylactic shock;Anaphylactic transfusion reaction;Anaphylactoid reaction;Anaphylactoid shock;Anaphylactoid syndrome of pregnancy;Angioedema;Angiopathic neuropathy;Ankylosing spondylitis;Anosmia;Anti-acetylcholine receptor antibody positive;Anti-actin antibody positive;Anti-aquaporin-4 antibody positive;Anti-basal ganglia antibody positive;Anti-cyclic citrullinated peptide antibody positive;Anti-epithelial antibody positive;Anti-erythrocyte antibody positive;Anti-exosome complex antibody positive;AntiGAD antibody negative;Anti-GAD antibody positive;Anti-ganglioside antibody positive;Antigliadin antibody positive;Anti-glomerular basement membrane antibody positive;Anti-glomerular basement membrane disease;Anti-glycyl-tRNA synthetase antibody positive;Anti-HLA antibody test positive;Anti-IA2 antibody positive;Anti-insulin antibody increased;Anti-insulin antibody positive;Anti-insulin receptor antibody increased;Antiinsulin receptor antibody positive;Anti-interferon antibody negative;Anti-interferon antibody positive;Anti-islet cell antibody positive;Antimitochondrial antibody positive;Anti-muscle specific kinase antibody positive;Anti-myelin-associated glycoprotein antibodies positive;Anti-myelin-associated glycoprotein associated polyneuropathy;Antimyocardial antibody positive;Anti-neuronal antibody positive;Antineutrophil cytoplasmic antibody increased;Antineutrophil cytoplasmic antibody positive;Anti-neutrophil cytoplasmic antibody positive vasculitis;Anti-NMDA antibody positive;Antinuclear antibody increased;Antinuclear antibody positive;Antiphospholipid antibodies positive;Antiphospholipid syndrome;Anti-platelet antibody positive;Anti-prothrombin antibody positive;Antiribosomal P antibody positive;Anti-RNA polymerase III antibody positive;Anti-saccharomyces cerevisiae antibody test positive;Anti-sperm antibody positive;Anti-SRP antibody positive;Antisynthetase syndrome;Anti-thyroid antibody positive;Anti-transglutaminase antibody increased;Anti-

VGCC antibody positive;AntiVGKC antibody positive;Anti-vimentin antibody positive;Antiviral prophylaxis;Antiviral treatment;Anti-zinc transporter 8 antibody positive;Aortic embolus;Aortic thrombosis;Aortitis;Aplasia pure red cell;Aplastic anaemia;Application site thrombosis;Application site vasculitis;Arrhythmia;Arterial bypass occlusion;Arterial bypass thrombosis;Arterial thrombosis;Arteriovenous fistula thrombosis;Arteriovenous graft site stenosis;Arteriovenous graft thrombosis;Arteritis;Arteritis Page 30 090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000083 BNT162b2 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports CONFIDENTIAL Page 2 coronary;Arthralgia;Arthritis;Arthritis enteropathic;Ascites;Aseptic cavernous sinus thrombosis;Aspartate aminotransferase abnormal;Aspartate aminotransferase increased;Aspartate-glutamate-transporter deficiency;AST to platelet ratio index increased;AST/ALT ratio abnormal;Asthma;Asymptomatic COVID19;Ataxia;Atheroembolism;Atonic seizures;Atrial thrombosis;Atrophic thyroiditis;Atypical benign partial epilepsy;Atypical pneumonia;Aura;Autoantibody positive;Autoimmune anaemia;Autoimmune aplastic anaemia;Autoimmune arthritis;Autoimmune blistering disease;Autoimmune cholangitis;Autoimmune colitis;Autoimmune demyelinating disease;Autoimmune dermatitis;Autoimmune disorder;Autoimmune encephalopathy;Autoimmune endocrine disorder;Autoimmune enteropathy;Autoimmune eye disorder;Autoimmune haemolytic anaemia;Autoimmune heparin-induced thrombocytopenia;Autoimmune hepatitis;Autoimmune hyperlipidaemia;Autoimmune hypothyroidism;Autoimmune inner ear disease;Autoimmune lung disease;Autoimmune lymphoproliferative syndrome;Autoimmune myocarditis;Autoimmune myositis;Autoimmune nephritis;Autoimmune neuropathy;Autoimmune neutropenia;Autoimmune pancreatitis;Autoimmune pancytopenia;Autoimmune pericarditis;Autoimmune

retinopathy;Autoimmune thyroid disorder;Autoimmune thyroiditis;Autoimmune uveitis;Autoinflammation with infantile enterocolitis;Autoinflammatory disease;Automatism epileptic;Autonomic nervous system imbalance;Autonomic seizure;Axial spondyloarthritis;Axillary vein thrombosis;Axonal and demyelinating polyneuropathy;Axonal neuropathy;Bacterascites;Baltic myoclonic epilepsy;Band sensation;Basedow's disease;Basilar artery thrombosis;Basophilopenia;B-cell aplasia;Behcet's syndrome;Benign ethnic neutropenia;Benign familial neonatal convulsions;Benign familial pemphigus;Benign rolandic epilepsy;Beta-2 glycoprotein antibody positive;Bickerstaff's encephalitis;Bile output abnormal;Bile output decreased;Biliary ascites;Bilirubin conjugated abnormal;Bilirubin conjugated increased;Bilirubin urine present;Biopsy liver abnormal;Biotinidase deficiency;Birdshot chorioretinopathy;Blood alkaline phosphatase abnormal;Blood alkaline phosphatase increased;Blood bilirubin abnormal;Blood bilirubin increased;Blood bilirubin unconjugated increased;Blood cholinesterase abnormal;Blood cholinesterase decreased;Blood pressure decreased;Blood pressure diastolic decreased;Blood pressure systolic decreased;Blue toe syndrome;Brachiocephalic vein thrombosis;Brain stem embolism;Brain stem thrombosis;Bromosulphthalein test abnormal;Bronchial oedema;Bronchitis;Bronchitis mycoplasmal;Bronchitis viral;Bronchopulmonary aspergillosis allergic;Bronchospasm;BuddChiari syndrome;Bulbar palsy;Butterfly rash;C1q nephropathy;Caesarean section;Calcium embolism;Capillaritis;Caplan's syndrome;Cardiac amyloidosis;Cardiac arrest;Cardiac failure;Cardiac failure acute;Cardiac sarcoidosis;Cardiac ventricular thrombosis;Cardiogenic shock;Cardiolipin antibody positive;Cardiopulmonary failure;Cardio-respiratory arrest;Cardio-respiratory distress;Cardiovascular insufficiency;Carotid arterial embolus;Carotid artery thrombosis;Cataplexy;Catheter site thrombosis;Catheter site vasculitis;Cavernous sinus thrombosis;CDKL5

deficiency disorder; CEC syndrome; Cement embolism; Central nervous system lupus; Central nervous system vasculitis; Cerebellar artery thrombosis; Cerebellar embolism; Cerebral amyloid angiopathy; Cerebral arteritis; Cerebral artery embolism; Cerebral artery thrombosis; Cerebral gas embolism; Cerebral microembolism; Cerebral septic infarct; Cerebral thrombosis; Cerebral venous sinus thrombosis; Cerebral venous thrombosis; Cerebrospinal thrombotic Page 31 090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000084 BNT162b2 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports CONFIDENTIAL Page 3 tamponade; Cerebrovascular accident; Change in seizure presentation; Chest discomfort; ChildPugh-Turcotte score abnormal; Child-Pugh-Turcotte score increased; Chillblains; Choking; Choking sensation; Cholangitis sclerosing; Chronic autoimmune glomerulonephritis; Chronic cutaneous lupus erythematosus; Chronic fatigue syndrome; Chronic gastritis; Chronic inflammatory demyelinating polyradiculoneuropathy; Chronic lymphocytic inflammation with pontine perivascular enhancement responsive to steroids; Chronic recurrent multifocal osteomyelitis; Chronic respiratory failure; Chronic spontaneous urticaria; Circulatory collapse; Circumoral oedema; Circumoral swelling; Clinically isolated syndrome; Clonic convulsion; Coeliac disease; Cogan's syndrome; Cold agglutinins positive; Cold type haemolytic anaemia; Colitis; Colitis erosive; Colitis herpes; Colitis microscopic; Colitis ulcerative; Collagen disorder; Collagen-vascular disease; Complement factor abnormal; Complement factor C1 decreased; Complement factor C2 decreased; Complement factor C3 decreased; Complement factor C4 decreased; Complement factor decreased; Computerised tomogram liver abnormal; Concentric sclerosis; Congenital anomaly; Congenital bilateral perisylvian syndrome; Congenital herpes simplex infection; Congenital myasthenic syndrome; Congenital varicella infection; Congestive hepatopathy; Convulsion in

childhood;Convulsions local;Convulsive threshold lowered;Coombs positive haemolytic anaemia;Coronary artery disease;Coronary artery embolism;Coronary artery thrombosis;Coronary bypass thrombosis;Coronavirus infection;Coronavirus test;Coronavirus test negative;Coronavirus test positive;Corpus callosotomy;Cough;Cough variant asthma;COVID-19;COVID-19 immunisation;COVID-19 pneumonia;COVID-19 prophylaxis;COVID-19 treatment;Cranial nerve disorder;Cranial nerve palsies multiple;Cranial nerve paralysis;CREST syndrome;Crohn's disease;Cryofibrinogenaemia;Cryoglobulinaemia;CSF oligoclonal band present;CSWS syndrome;Cutaneous amyloidosis;Cutaneous lupus erythematosus;Cutaneous sarcoidosis;Cutaneous vasculitis;Cyanosis;Cyclic neutropenia;Cystitis interstitial;Cytokine release syndrome;Cytokine storm;De novo purine synthesis inhibitors associated acute inflammatory syndrome;Death neonatal;Deep vein thrombosis;Deep vein thrombosis postoperative;Deficiency of bile secretion;Deja vu;Demyelinating polyneuropathy;Demyelination;Dermatitis;Dermatitis bullous;Dermatitis herpetiformis;Dermatomyositis;Device embolisation;Device related thrombosis;Diabetes mellitus;Diabetic ketoacidosis;Diabetic mastopathy;Dialysis amyloidosis;Dialysis membrane reaction;Diastolic hypotension;Diffuse vasculitis;Digital pitting scar;Disseminated intravascular coagulation;Disseminated intravascular coagulation in newborn;Disseminated neonatal herpes simplex;Disseminated varicella;Disseminated varicella zoster vaccine virus infection;Disseminated varicella zoster virus infection;DNA antibody positive;Double cortex syndrome;Double stranded DNA antibody positive;Dreamy state;Dressler's syndrome;Drop attacks;Drug withdrawal convulsions;Dyspnoea;Early infantile epileptic encephalopathy with burst-suppression;Eclampsia;Eczema herpeticum;Embolia cutis medicamentosa;Embolic cerebellar infarction;Embolic cerebral infarction;Embolic pneumonia;Embolic stroke;Embolism;Embolism arterial;Embolism venous;Encephalitis;Encephalitis

allergic;Encephalitis autoimmune;Encephalitis brain stem;Encephalitis haemorrhagic;Encephalitis periaxialis diffusa;Encephalitis post immunisation;Encephalomyelitis;Encephalopathy;Endocrine disorder;Endocrine ophthalmopathy;Endotracheal intubation;Enteritis;Enteritis leukopenic;Enterobacter pneumonia;Enterocolitis;Enteropathic spondylitis;Eosinopenia;Eosinophilic Page 32 090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000085 BNT162b2 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports CONFIDENTIAL Page 4 fasciitis;Eosinophilic granulomatosis with polyangiitis;Eosinophilic oesophagitis;Epidermolysis;Epilepsy;Epilepsy surgery;Epilepsy with myoclonic-atonic seizures;Epileptic aura;Epileptic psychosis;Erythema;Erythema induratum;Erythema multiforme;Erythema nodosum;Evans syndrome;Exanthema subitum;Expanded disability status scale score decreased;Expanded disability status scale score increased;Exposure to communicable disease;Exposure to SARS-CoV-2;Eye oedema;Eye pruritus;Eye swelling;Eyelid oedema;Face oedema;Facial paralysis;Facial paresis;Faciobrachial dystonic seizure;Fat embolism;Febrile convulsion;Febrile infection-related epilepsy syndrome;Febrile neutropenia;Felty's syndrome;Femoral artery embolism;Fibrillary glomerulonephritis;Fibromyalgia;Flushing;Foaming at mouth;Focal cortical resection;Focal dyscognitive seizures;Foetal distress syndrome;Foetal placental thrombosis;Foetor hepaticus;Foreign body embolism;Frontal lobe epilepsy;Fulminant type 1 diabetes mellitus;Galactose elimination capacity test abnormal;Galactose elimination capacity test decreased;Gamma-glutamyltransferase abnormal;Gamma-glutamyltransferase increased;Gastritis herpes;Gastrointestinal amyloidosis;Gelastic seizure;Generalised onset non-motor seizure;Generalised tonic-clonic seizure;Genital herpes;Genital herpes simplex;Genital herpes zoster;Giant cell arteritis;Glomerulonephritis;Glomerulonephritis

membranoproliferative;Glomerulonephritis
membranous;Glomerulonephritis rapidly
progressive;Glossopharyngeal nerve paralysis;Glucose
transporter type 1 deficiency syndrome;Glutamate
dehydrogenase increased;Glycocholic acid increased;GM2
gangliosidosis;Goodpasture's syndrome;Graft
thrombosis;Granulocytopenia;Granulocytopenia
neonatal;Granulomatosis with polyangiitis;Granulomatous
dermatitis;Grey matter heterotopia;Guanase
increased;GuillainBarre syndrome;Haemolytic
anaemia;Haemophagocytic
lymphohistiocytosis;Haemorrhage;Haemorrhagic
ascites;Haemorrhagic disorder;Haemorrhagic
pneumonia;Haemorrhagic varicella
syndrome;Haemorrhagic vasculitis;Hantavirus pulmonary
infection;Hashimoto's
encephalopathy;Hashitoxicosis;Hemimegalencephaly;Hen
och-Schonlein purpura;HenochSchonlein purpura
nephritis;Hepaplastin abnormal;Hepaplastin
decreased;Heparin-induced thrombocytopenia;Hepatic
amyloidosis;Hepatic artery embolism;Hepatic artery flow
decreased;Hepatic artery thrombosis;Hepatic enzyme
abnormal;Hepatic enzyme decreased;Hepatic enzyme
increased;Hepatic fibrosis marker abnormal;Hepatic
fibrosis marker increased;Hepatic function
abnormal;Hepatic hydrothorax;Hepatic
hypertrophy;Hepatic hypoperfusion;Hepatic lymphocytic
infiltration;Hepatic mass;Hepatic pain;Hepatic
sequestration;Hepatic vascular resistance
increased;Hepatic vascular thrombosis;Hepatic vein
embolism;Hepatic vein thrombosis;Hepatic venous
pressure gradient abnormal;Hepatic venous pressure
gradient increased;Hepatitis;Hepatobiliary scan
abnormal;Hepatomegaly;Hepatosplenomegaly;Hereditary
angioedema with C1 esterase inhibitor deficiency;Herpes
dermatitis;Herpes gestationis;Herpes oesophagitis;Herpes
ophthalmic;Herpes pharyngitis;Herpes sepsis;Herpes
simplex;Herpes simplex cervicitis;Herpes simplex
colitis;Herpes simplex encephalitis;Herpes simplex
gastritis;Herpes simplex hepatitis;Herpes simplex
meningitis;Herpes simplex meningoencephalitis;Herpes

simplex meningomyelitis; Herpes simplex necrotising retinopathy; Herpes simplex oesophagitis; Herpes simplex otitis externa; Herpes simplex pharyngitis; Herpes simplex pneumonia; Herpes simplex reactivation; Herpes simplex sepsis; Herpes simplex viraemia; Herpes simplex virus conjunctivitis neonatal; Herpes simplex visceral; Herpes virus Page 33 090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000086 BNT162b2 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports CONFIDENTIAL Page 5 infection; Herpes zoster; Herpes zoster cutaneous disseminated; Herpes zoster infection neurological; Herpes zoster meningitis; Herpes zoster meningoencephalitis; Herpes zoster meningomyelitis; Herpes zoster meningocephalitis; Herpes zoster necrotising retinopathy; Herpes zoster oticus; Herpes zoster pharyngitis; Herpes zoster reactivation; Herpetic radiculopathy; Histone antibody positive; Hoigne's syndrome; Human herpesvirus 6 encephalitis; Human herpesvirus 6 infection; Human herpesvirus 6 infection reactivation; Human herpesvirus 7 infection; Human herpesvirus 8 infection; Hyperammonaemia; Hyperbilirubinaemia; Hypercholia; Hypergammaglobulinaemia benign monoclonal; Hyperglycaemic seizure; Hypersensitivity; Hypersensitivity vasculitis; Hyperthyroidism; Hypertransaminasaemia; Hyperventilation; Hypoalbuminaemia; Hypocalcaemic seizure; Hypogammaglobulinaemia; Hypoglossal nerve paralysis; Hypoglossal nerve paresis; Hypoglycaemic seizure; Hyponatraemic seizure; Hypotension; Hypotensive crisis; Hypothemar hammer syndrome; Hypothyroidism; Hypoxia; Idiopathic CD4 lymphocytopenia; Idiopathic generalised epilepsy; Idiopathic interstitial pneumonia; Idiopathic neutropenia; Idiopathic pulmonary fibrosis; IgA nephropathy; IgM nephropathy; IIIrd nerve paralysis; IIIrd nerve paresis; Iliac artery embolism; Immune thrombocytopenia; Immunemediated adverse reaction; Immune-mediated cholangitis; Immune-mediated cholestasis; Immune-mediated cytopenia; Immune-

mediated encephalitis;Immune-mediated encephalopathy;Immune-mediated endocrinopathy;Immune-mediated enterocolitis;Immunemediated gastritis;Immune-mediated hepatic disorder;Immune-mediated hepatitis;Immunemediated hyperthyroidism;Immune-mediated hypothyroidism;Immune-mediated myocarditis;Immune-mediated myositis;Immune-mediated nephritis;Immune-mediated neuropathy;Immune-mediated pancreatitis;Immune-mediated pneumonitis;Immune-mediated renal disorder;Immune-mediated thyroiditis;Immune-mediated uveitis;Immunoglobulin G4 related disease;Immunoglobulins abnormal;Implant site thrombosis;Inclusion body myositis;Infantile genetic agranulocytosis;Infantile spasms;Infected vasculitis;Infective thrombosis;Inflammation;Inflammatory bowel disease;Infusion site thrombosis;Infusion site vasculitis;Injection site thrombosis;Injection site urticaria;Injection site vasculitis;Instillation site thrombosis;Insulin autoimmune syndrome;Interstitial granulomatous dermatitis;Interstitial lung disease;Intracardiac mass;Intracardiac thrombus;Intracranial pressure increased;Intrapericardial thrombosis;Intrinsic factor antibody abnormal;Intrinsic factor antibody positive;IPEX syndrome;Irregular breathing;IRVAN syndrome;IVth nerve paralysis;IVth nerve paresis;JC polyomavirus test positive;JC virus CSF test positive;Jeavons syndrome;Jugular vein embolism;Jugular vein thrombosis;Juvenile idiopathic arthritis;Juvenile myoclonic epilepsy;Juvenile polymyositis;Juvenile psoriatic arthritis;Juvenile spondyloarthritis;Kaposi sarcoma inflammatory cytokine syndrome;Kawasaki's disease;Kayser-Fleischer ring;Keratoderma blenorrhagica;Ketosisprone diabetes mellitus;Kounis syndrome;Lafora's myoclonic epilepsy;Lambl's excrescences;Laryngeal dyspnoea;Laryngeal oedema;Laryngeal rheumatoid arthritis;Laryngospasm;Laryngotracheal oedema;Latent autoimmune diabetes in adults;LE cells present;Lemierre

syndrome;Lennox-Gastaut syndrome;Leucine aminopeptidase increased;Leukoencephalomyelitis;Leukoencephalopathy;L eukopenia;Leukopenia neonatal;Lewis-Sumner syndrome;Lhermitte's sign;Lichen planopilaris;Lichen planus;Lichen sclerosus;Limbic encephalitis;Linear IgA disease;Lip oedema;Lip swelling;Liver function test abnormal;Liver function test decreased;Liver function test increased;Liver induration;Liver injury;Liver iron concentration abnormal;Liver iron concentration Page 34 090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000087 BNT162b2 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports CONFIDENTIAL Page 6 increased;Liver opacity;Liver palpable;Liver sarcoidosis;Liver scan abnormal;Liver tenderness;Low birth weight baby;Lower respiratory tract herpes infection;Lower respiratory tract infection;Lower respiratory tract infection viral;Lung abscess;Lupoid hepatic cirrhosis;Lupus cystitis;Lupus encephalitis;Lupus endocarditis;Lupus enteritis;Lupus hepatitis;Lupus myocarditis;Lupus myositis;Lupus nephritis;Lupus pancreatitis;Lupus pleurisy;Lupus pneumonitis;Lupus vasculitis;Lupus-like syndrome;Lymphocytic hypophysitis;Lymphocytopenia neonatal;Lymphopenia;MAGIC syndrome;Magnetic resonance imaging liver abnormal;Magnetic resonance proton density fat fraction measurement;Mahler sign;Manufacturing laboratory analytical testing issue;Manufacturing materials issue;Manufacturing production issue;Marburg's variant multiple sclerosis;Marchiafava-Bignami disease;Marine Lenhart syndrome;Mastocytic enterocolitis;Maternal exposure during pregnancy;Medical device site thrombosis;Medical device site vasculitis;MELAS syndrome;Meningitis;Meningitis aseptic;Meningitis herpes;Meningoencephalitis herpes simplex neonatal;Meningoencephalitis herpetic;Meningomyelitis herpes;MERS-CoV test;MERS-CoV test negative;MERS-CoV test positive;Mesangioproliferative glomerulonephritis;Mesenteric artery

embolism; Mesenteric artery thrombosis; Mesenteric vein thrombosis; Metapneumovirus infection; Metastatic cutaneous Crohn's disease; Metastatic pulmonary embolism; Microangiopathy; Microembolism; Microscopic polyangiitis; Middle East respiratory syndrome; Migraine-triggered seizure; Miliary pneumonia; Miller Fisher syndrome; Mitochondrial aspartate aminotransferase increased; Mixed connective tissue disease; Model for end stage liver disease score abnormal; Model for end stage liver disease score increased; Molar ratio of total branched-chain amino acid to tyrosine; Molybdenum cofactor deficiency; Monocytopenia; Mononeuritis; Mononeuropathy multiplex; Morphoea; Morvan syndrome; Mouth swelling; Moyamoya disease; Multifocal motor neuropathy; Multiple organ dysfunction syndrome; Multiple sclerosis; Multiple sclerosis relapse; Multiple sclerosis relapse prophylaxis; Multiple subpial transection; Multisystem inflammatory syndrome in children; Muscular sarcoidosis; Myasthenia gravis; Myasthenia gravis crisis; Myasthenia gravis neonatal; Myasthenic syndrome; Myelitis; Myelitis transverse; Myocardial infarction; Myocarditis; Myocarditis post infection; Myoclonic epilepsy; Myoclonic epilepsy and ragged-red fibres; Myokymia; Myositis; Narcolepsy; Nasal herpes; Nasal obstruction; Necrotising herpetic retinopathy; Neonatal Crohn's disease; Neonatal epileptic seizure; Neonatal lupus erythematosus; Neonatal mucocutaneous herpes simplex; Neonatal pneumonia; Neonatal seizure; Nephritis; Nephrogenic systemic fibrosis; Neuralgic amyotrophy; Neuritis; Neuritis cranial; Neuromyelitis optica pseudo relapse; Neuromyelitis optica spectrum disorder; Neuromyotonia; Neuronal neuropathy; Neuropathy peripheral; Neuropathy, ataxia, retinitis pigmentosa syndrome; Neuropsychiatric lupus; Neurosarcoidosis; Neutropenia; Neutropenia neonatal; Neutropenic colitis; Neutropenic infection; Neutropenic sepsis; Nodular rash; Nodular vasculitis; Noninfectious myelitis; Noninfective encephalitis; Noninfective encephalomyelitis; Noninfective oophoritis; Obstetrical pulmonary embolism; Occupational

exposure to communicable disease; Occupational exposure to SARS-CoV-2; Ocular hyperaemia; Ocular myasthenia; Ocular pemphigoid; Ocular sarcoidosis; Ocular vasculitis; Oculofacial paralysis; Oedema; Oedema blister; Oedema due to hepatic disease; Oedema mouth; Oesophageal achalasia; Ophthalmic artery thrombosis; Ophthalmic herpes simplex; Ophthalmic herpes zoster; Ophthalmic vein thrombosis; Optic neuritis; Optic Page 35 090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000088 BNT162b2 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports CONFIDENTIAL Page 7 neuropathy; Optic perineuritis; Oral herpes; Oral lichen planus; Oropharyngeal oedema; Oropharyngeal spasm; Oropharyngeal swelling; Osmotic demyelination syndrome; Ovarian vein thrombosis; Overlap syndrome; Paediatric autoimmune neuropsychiatric disorders associated with streptococcal infection; Paget-Schroetter syndrome; Palindromic rheumatism; Palisaded neutrophilic granulomatous dermatitis; Palmoplantar keratoderma; Palpable purpura; Pancreatitis; Panencephalitis; Papillophlebitis; Paracancerous pneumonia; Paradoxical embolism; Parainfluenzae viral laryngotracheobronchitis; Paraneoplastic dermatomyositis; Paraneoplastic pemphigus; Paraneoplastic thrombosis; Paresis cranial nerve; Parietal cell antibody positive; Paroxysmal nocturnal haemoglobinuria; Partial seizures; Partial seizures with secondary generalisation; Patient isolation; Pelvic venous thrombosis; Pemphigoid; Pemphigus; Penile vein thrombosis; Pericarditis; Pericarditis lupus; Perihepatic discomfort; Periorbital oedema; Periorbital swelling; Peripheral artery thrombosis; Peripheral embolism; Peripheral ischaemia; Peripheral vein thrombus extension; Periportal oedema; Peritoneal fluid protein abnormal; Peritoneal fluid protein decreased; Peritoneal fluid protein increased; Peritonitis lupus; Pernicious anaemia; Petit mal epilepsy; Pharyngeal oedema; Pharyngeal swelling; Pityriasis lichenoides et varioliformis acuta; Placenta praevia; Pleuroparenchymal fibroelastosis; Pneumobilia; Pneumonia; Pneumonia

adenoviral;Pneumonia cytomegaloviral;Pneumonia herpes viral;Pneumonia influenzal;Pneumonia measles;Pneumonia mycoplasmal;Pneumonia necrotising;Pneumonia parainfluenzae viral;Pneumonia respiratory syncytial viral;Pneumonia viral;POEMS syndrome;Polyarteritis nodosa;Polyarthritis;Polychondritis;Polyglandular autoimmune syndrome type I;Polyglandular autoimmune syndrome type II;Polyglandular autoimmune syndrome type III;Polyglandular disorder;Polymicrogyria;Polymyalgia rheumatica;Polymyositis;Polyneuropathy;Polyneuropathy idiopathic progressive;Portal pyaemia;Portal vein embolism;Portal vein flow decreased;Portal vein pressure increased;Portal vein thrombosis;Portosplenomesenteric venous thrombosis;Post procedural hypotension;Post procedural pneumonia;Post procedural pulmonary embolism;Post stroke epilepsy;Post stroke seizure;Post thrombotic retinopathy;Post thrombotic syndrome;Post viral fatigue syndrome;Postictal headache;Postictal paralysis;Postictal psychosis;Postictal state;Postoperative respiratory distress;Postoperative respiratory failure;Postoperative thrombosis;Postpartum thrombosis;Postpartum venous thrombosis;Postpericardiotomy syndrome;Post-traumatic epilepsy;Postural orthostatic tachycardia syndrome;Precerebral artery thrombosis;Pre-eclampsia;Preictal state;Premature labour;Premature menopause;Primary amyloidosis;Primary biliary cholangitis;Primary progressive multiple sclerosis;Procedural shock;Proctitis herpes;Proctitis ulcerative;Product availability issue;Product distribution issue;Product supply issue;Progressive facial hemiatrophy;Progressive multifocal leukoencephalopathy;Progressive multiple sclerosis;Progressive relapsing multiple sclerosis;Prosthetic cardiac valve thrombosis;Pruritus;Pruritus allergic;Pseudovasculitis;Psoriasis;Psoriatic arthropathy;Pulmonary amyloidosis;Pulmonary artery thrombosis;Pulmonary embolism;Pulmonary

fibrosis; Pulmonary haemorrhage; Pulmonary microemboli; Pulmonary oil microembolism; Pulmonary renal syndrome; Pulmonary sarcoidosis; Pulmonary sepsis; Pulmonary thrombosis; Pulmonary tumour thrombotic microangiopathy; Pulmonary vasculitis; Pulmonary veno-occlusive disease; Pulmonary venous thrombosis; Pyoderma gangrenosum; Pyostomatitis vegetans; Pyrexia; Quarantine; Radiation leukopenia; Radiculitis Page 36
090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000089
BNT162b2 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports CONFIDENTIAL Page 8
brachial; Radiologically isolated syndrome; Rash; Rash erythematous; Rash pruritic; Rasmussen encephalitis; Raynaud's phenomenon; Reactive capillary endothelial proliferation; Relapsing multiple sclerosis; Relapsing-remitting multiple sclerosis; Renal amyloidosis; Renal arteritis; Renal artery thrombosis; Renal embolism; Renal failure; Renal vascular thrombosis; Renal vasculitis; Renal vein embolism; Renal vein thrombosis; Respiratory arrest; Respiratory disorder; Respiratory distress; Respiratory failure; Respiratory paralysis; Respiratory syncytial virus bronchiolitis; Respiratory syncytial virus bronchitis; Retinal artery embolism; Retinal artery occlusion; Retinal artery thrombosis; Retinal vascular thrombosis; Retinal vasculitis; Retinal vein occlusion; Retinal vein thrombosis; Retinol binding protein decreased; Retinopathy; Retrograde portal vein flow; Retroperitoneal fibrosis; Reversible airways obstruction; Reynold's syndrome; Rheumatic brain disease; Rheumatic disorder; Rheumatoid arthritis; Rheumatoid factor increased; Rheumatoid factor positive; Rheumatoid factor quantitative increased; Rheumatoid lung; Rheumatoid neutrophilic dermatosis; Rheumatoid nodule; Rheumatoid nodule removal; Rheumatoid scleritis; Rheumatoid vasculitis; Saccadic eye movement; SAPHO syndrome; Sarcoidosis; SARS-CoV-1 test; SARS-CoV-1 test negative; SARS-CoV-1 test positive; SARS-CoV-2 antibody

test;SARS-CoV-2 antibody test negative;SARS-CoV-2 antibody test positive;SARS-CoV-2 carrier;SARS-CoV-2 sepsis;SARS-CoV-2 test;SARSCoV-2 test false negative;SARS-CoV-2 test false positive;SARS-CoV-2 test negative;SARSCoV-2 test positive;SARS-CoV-2 viraemia;Satoyoshi syndrome;Schizencephaly;Scleritis;Sclerodactyla;Scleroderma;Scleroderma associated digital ulcer;Scleroderma renal crisis;Scleroderma-like reaction;Secondary amyloidosis;Secondary cerebellar degeneration;Secondary progressive multiple sclerosis;Segmented hyalinising vasculitis;Seizure;Seizure anoxic;Seizure cluster;Seizure like phenomena;Seizure prophylaxis;Sensation of foreign body;Septic embolus;Septic pulmonary embolism;Severe acute respiratory syndrome;Severe myoclonic epilepsy of infancy;Shock;Shock symptom;Shrinking lung syndrome;Shunt thrombosis;Silent thyroiditis;Simple partial seizures;Sjogren's syndrome;Skin swelling;SLE arthritis;Smooth muscle antibody positive;Sneezing;Spinal artery embolism;Spinal artery thrombosis;Splenic artery thrombosis;Splenic embolism;Splenic thrombosis;Splenic vein thrombosis;Spondylitis;Spondyloarthropathy;Spontaneous heparin-induced thrombocytopenia syndrome;Status epilepticus;Stevens-Johnson syndrome;Stiff leg syndrome;Stiff person syndrome;Stillbirth;Still's disease;Stoma site thrombosis;Stoma site vasculitis;Stress cardiomyopathy;Stridor;Subacute cutaneous lupus erythematosus;Subacute endocarditis;Subacute inflammatory demyelinating polyneuropathy;Subclavian artery embolism;Subclavian artery thrombosis;Subclavian vein thrombosis;Sudden unexplained death in epilepsy;Superior sagittal sinus thrombosis;Susac's syndrome;Suspected COVID19;Swelling;Swelling face;Swelling of eyelid;Swollen tongue;Sympathetic ophthalmia;Systemic lupus erythematosus;Systemic lupus erythematosus disease activity index abnormal;Systemic lupus erythematosus disease activity index decreased;Systemic lupus erythematosus disease activity index increased;Systemic lupus erythematosus rash;Systemic

scleroderma;Systemic sclerosis
pulmonary;Tachycardia;Tachypnoea;Takayasu's
arteritis;Temporal lobe epilepsy;Terminal ileitis;Testicular
autoimmunity;Throat tightness;Thromboangiitis
obliterans;Thrombocytopenia;Thrombocytopenic
purpura;Thrombophlebitis;Thrombophlebitis
migrans;Thrombophlebitis Page 37
090177e196ea1800\Approved\Approved On: 30-A
pr-2021 09:26 (GMT) FDA-CBER-2021-5683-0000090
BNT162b2 5.3.6 Cumulative Analysis of Post-authorization
Adverse Event Reports CONFIDENTIAL Page 9
neonatal;Thrombophlebitis septic;Thrombophlebitis
superficial;Thromboplastin antibody
positive;Thrombosis;Thrombosis corpora
cavernosa;Thrombosis in device;Thrombosis mesenteric
vessel;Thrombotic cerebral infarction;Thrombotic
microangiopathy;Thrombotic stroke;Thrombotic
thrombocytopenic purpura;Thyroid disorder;Thyroid
stimulating immunoglobulin increased;Thyroiditis;Tongue
amyloidosis;Tongue biting;Tongue oedema;Tonic clonic
movements;Tonic convulsion;Tonic
posturing;Topectomy;Total bile acids increased;Toxic
epidermal necrolysis;Toxic leukoencephalopathy;Toxic oil
syndrome;Tracheal obstruction;Tracheal
oedema;Tracheobronchitis;Tracheobronchitis
mycoplasmal;Tracheobronchitis viral;Transaminases
abnormal;Transaminases increased;Transfusion-related
alloimmune neutropenia;Transient epileptic
amnesia;Transverse sinus thrombosis;Trigeminal nerve
paresis;Trigeminal neuralgia;Trigeminal palsy;Truncus
coeliacus thrombosis;Tuberous sclerosis
complex;Tubulointerstitial nephritis and uveitis
syndrome;Tumefactive multiple sclerosis;Tumour
embolism;Tumour thrombosis;Type 1 diabetes
mellitus;Type I hypersensitivity;Type III immune complex
mediated reaction;Uhthoff's phenomenon;Ulcerative
keratitis;Ultrasound liver abnormal;Umbilical cord
thrombosis;Uncinate fits;Undifferentiated connective
tissue disease;Upper airway obstruction;Urine bilirubin
increased;Urobilinogen urine decreased;Urobilinogen urine
increased;Urticaria;Urticaria papular;Urticularial

vasculitis;Uterine rupture;Uveitis;Vaccination site thrombosis;Vaccination site vasculitis;Vagus nerve paralysis;Varicella;Varicella keratitis;Varicella post vaccine;Varicella zoster gastritis;Varicella zoster oesophagitis;Varicella zoster pneumonia;Varicella zoster sepsis;Varicella zoster virus infection;Vasa praevia;Vascular graft thrombosis;Vascular pseudoaneurysm thrombosis;Vascular purpura;Vascular stent thrombosis;Vasculitic rash;Vasculitic ulcer;Vasculitis;Vasculitis gastrointestinal;Vasculitis necrotising;Vena cava embolism;Vena cava thrombosis;Venous intravasation;Venous recanalisation;Venous thrombosis;Venous thrombosis in pregnancy;Venous thrombosis limb;Venous thrombosis neonatal;Vertebral artery thrombosis;Vessel puncture site thrombosis;Visceral venous thrombosis;VIth nerve paralysis;VIth nerve paresis;Vitiligo;Vocal cord paralysis;Vocal cord paresis;Vogt-Koyanagi-Harada disease;Warm type haemolytic anaemia;Wheezing;White nipple sign;XIth nerve paralysis;X-ray hepatobiliary abnormal;Young's syndrome;Zika virus associated Guillain Barre syndrome.

Loading...